



Custom Retail Solutions

Model:Kiosk serials

- > Retail Audio Player
- > Industrial Monitor
- > Commercial Tablet
- > Classic Video Screen
- > Multi-Screen System
- >Retail Lighting

Industrial Automation Kiosk

Quad-Core Processor With Full HD 1920x1080 pixels 7-55"LCD panel



Highlighted Features

- >Dedicated Android O/S;
- >Allow users to access allowed APK or Website only;
- >Supports Full-Screen Browsing With Hidden Status Bar;
- >Password protection for exiting the Full-Screen;
- >Supports Various External POS Peripherals;
- >Proven High-reliability 7/24/365 By Top Brands.

Applications

- >**self-services** like self-ordering, self-checkout, wayfinding;
- >**access control** like face detection and temperature detection devices.
- >**line-up** like ticketing, queue management, bill payment
- >Including but not limited like medical cart tablet, stand-alone tablet and slope-form tablet.



Custom Retail Solutions

Model:DROID Serials

- > Retail Audio Player
- > Industrial Monitor
- > Commercial Tablet
- > Classic Video Screen
- > Multi-Screen System
- > Retail Lighting

Industrial Automation Kiosk

Quad-Core Processor With Full HD 1920x1080 pixels 7-55"LCD panel

Specification

CPU	Rockchip RK3288 Cortex-A17 Quadcore 1.8GHz(deluxe); RK3399 Cortex-A72b Dual Core 1.8GHz+Cortex-A53 Quad-Core1.4GHz(premium);
GPU	Mali-T764 GPU(RK3288)/Mali-T864 GPU(RK3399)
RAM	2GB DDR3(Deluxe) / 4GB LPDDR4 (Premium)
Storage	16GB
Operating System	Android 5.1-12
Display	LED-backlight IPS screen with capacitive touch
Brightness	250/300/350
contrast ratio	800:1/3000:1(31.5-inch)/4000:1(55-inch)
Viewing Angle	85/85/85/85(L/R/U/D)89/89/89/89(L/R/U/D) 80/80/70/70(L/R/U/D)178°(H)178°(V)
Resolution	1920×1080
Network Interface	Wi-Fi 802.11ac, 2.4GHz(5G optional); Bluetooth 4.2 BLE
Control Switch & Buttons	1x power button (optional), Battery On/Off (optional)
Speaker	Built-in speakers 8ohm 2Wx2/3Wx2(31.5inch /55inch)
Camera	Full-HD front camera 2.0MP
USB Port	USB 3.0×1, USB 2.0×1, Type C USB OTG x1 (RK3399)
Headphone-Out	3.5mmx 1
Ethernet Port	Ethernet 10/ 100/ 1000MB Base-T LAN
HDMI Out	x1 (optional, can be disabled)
DC in	x1
AC/DC Adapter	Input: 100 - 240V AC; Output: 12V DC, 2A/2.5A/3A/4A
Battery Pack	(optional, default no)10,000mAh, 12V (Hot Swappable 18650 Pack Available)
Power Over Ethernet (PoE)	E 802.3 af, optional 802.3 at, optional
Mount	Wall Mount, 100x100mm VESA/ M4
Temperature	Operation: 0°C - 40°C; Storage: -55°C - 70°C
Humidity	0% - 90% non-condensing
Options	Barcode Scanner,RFID/NFC reader /Thermal Printer


Model: Kiosk serials

- > Retail Audio Player
- > Industrial Monitor
- > Commercial Tablet
- > Classic Video Screen
- > Multi-Screen System
- > Retail Lighting


Industrial Automation Kiosk

Quad-Core Processor With Full HD 1920x1080 pixels 7-55" LCD panel

Drawings
Droid1560



Droid1730



Model: Kiosk serials

- > Retail Audio Player
- > Industrial Monitor
- > Commercial Tablet
- > Classic Video Screen
- > Multi-Screen System
- > Retail Lighting

Industrial Automation Kiosk

Quad-Core Processor With Full HD 1920x1080 pixels 7-55" LCD panel

Drawings
Droid1850

